


THE NEW FREEDOM IN FLOORING FOR FAIR INSTALLATIONS



ArsRatio
THE FLOORING SYSTEM





german
brand
award
17
winner



THE REVOLUTION IN FLOORING AND TILE INSTALLATION

You require a flooring solution which provides you with maximum design freedom, installs fast and is even reusable? The modular ArsRatio flooring systems optimally adapt to suit the requirements of complex fair installation projects – in terms of form, format, functionality and fittings. Our dry installation systems have been revolutionizing the concept of laying tile since 2009 – the strengths of this flooring solution are especially evident when it comes to fair and event installations. Using an innovative and globally patented interlocking system, stability and flexibility – and most importantly speed – are guaranteed. These precisely laid floors install in record time and are immediately ready to accept loads for unforgettable brand experiences at fairs and events.


ArsRatio flooring solutions have already proven their worth in building projects in the automotive industry, shop and fair installations, hotels and restaurants and in retail food sector. That's why ArsRatio was also distinguished by the "German Design Council" with the 2017 German Brand Award in the category Building & Elements.

THE FOUNDATIONS FOR UNIQUE BRAND EXPERIENCES

The flooring solutions from ArsRatio offer architects and planners maximum design freedom for fair installations: it is possible to choose practically any surface material including ceramic tile, glass, metal, wood and parquet to cover the element's base layer.

We also produce individual special solutions and surfaces according to your customer-specific guidelines. In addition, you can combine various surfaces and formats within a single floor without any differences in elevation.

The high-quality materials combined with absolutely precise joints – without any protruding edges or expansion joints whatsoever – ensure an especially attractive floor.



AXOR



FAST, CLEAN AND EFFICIENT INSTALLATION

Thanks to the patented interlocking mechanism from ArsRatio, the new flooring can be laid at a speed of 25 m² per person and hour – the longitudinal and transverse stability is guaranteed. The installation requires no adhesives or grouting, so there is no dust, dirt or long drying times. The individual floor element system comes with a prefabricated polyurethane joint for a consistently clean look, and the new floor is immediately ready for loads from the moment it's installed. With this efficient installation method, large surfaces at fairs and events can be completed very rapidly.

100 PER CENT BRAND EXPERIENCE

ArsRatio gives architects and planners maximum design freedom: for your individual projects, we also produce unique special solutions with surfaces which comply with your customer-specific corporate design guidelines. The ArsRatio base layer is bonded to the desired surface material using a highly crosslinked polyurethane formula to create a multilayer system element, and can then be installed in the usual way.





AUSTRIAN
SUSTAINABLE
BUILDING
COUNCIL



DGNB

Deutsche Gesellschaft für Nachhaltiges Bauen e.V.
German Sustainable Building Council

SUSTAINABLE FLOORING SOLUTION: FUNCTIONALITY AND REUSABILITY

The ArsRatio flooring system is uniquely flexible and adapts to suit your particular requirements: the individual elements are completely interchangeable and combinable, so that the floor layout can be adapted to suit different sizes and shapes of fair booth, for example. In addition, the flooring system can be reused many times over and – unlike large lengths of carpeting – can be stacked to save space for transportation and storage.

As a company which is at one with the environment and which calls the Tyrolean Alps home, ArsRatio pursues a course of consistent environmental management that guarantees the use of ecological raw materials and manufacturing processes, including hydroelectric power sources, to ensure our products are sustainable. ArsRatio products are listed by the German Sustainable Building Council (DGNB e.V.). What's more, ArsRatio has been a member of the Austrian Sustainable Building Council (ÖGNI) since 2018.

FAST, FASTER, ARSRATIO

- Step 1:** The ArsRatio flooring system can be installed on nearly any surface, without having to remove the old floor or pretreat it. For installations on uneven surfaces, the elements are installed on top of the ArsRatio compensation mat (as per DIN 18202).
- Step 2:** The ArsRatio flooring elements are installed on the surface cleanly and quietly in record time.
- Step 3:** With the innovative snap-in mechanism, the individual elements of the patented dry flooring system lock into place quickly and easily.
- Step 4:** The new floor is immediately ready for full loads – with no drying times – right from the moment it's installed. After use, the flooring can be removed, leaving no residues behind, and stored with only small space requirements.





THE OPTIMUM FLOOR FOR EVERY PROJECT

The product portfolio from ArsRatio offers you the perfect flooring solution for practically any requirements.

AR18 and **AR23** were developed specifically for the requirements of modern double/raised floors and shine in the format 60 x 60 cm with an installation height of 18 mm or a solid 23 mm. These dry installation tiling systems have been tested by Lindner and are ideally suited for Lindner's double floor systems FLOOR and more® and NORTEC.

AR28 in the format 60 x 60 cm and with a surface material made of porcelain stoneware is the reliable solution for heavy loads*.

The flooring system **AR30** is the proven flooring system in the formats 20 x 120 cm, 30 x 60 cm, 60 x 60 cm, 60 x 120 cm, 90 x 90 cm and 100 x 100 cm, and features an element thickness of 27 mm.

AR50 from ArsRatio was designed for maximum loads* and also withstands the most extreme traffic with an element thickness of 30 mm.

*Please refer to the corresponding product data sheet for detailed product specifications.

PREPARING FOR INSTALLATION AND ACCESSORIES

Depending on the condition of the existing floor, your ArsRatio flooring system can either be installed on it directly or use an ArsRatio compensation mat to ensure a perfectly smooth surface with no protruding edges. Irregularities in the existing floor surface of up to 3 mm can easily be compensated.

In order to optimally suit your individual projects, ArsRatio offers a wide variety of accessories which can be integrated for perfect functionality and aesthetics. High-quality grommets for power and data cables as well as cable channels can be installed in the flooring system. Aluminium edge ramps and individual walk-off elements are available as system options.






SIGNED, SEALED, DELIVERED – YOUR FLOOR

The ArsRatio flooring system has been tested and certified or classified according to all relevant EU standards.

- ✓ Fire performance per DIN EN 13501
- ✓ Tested as per DIN EN ISO 10140-1 – impact sound insulation
- ✓ European technical assessment ETA-13/0529 (CE mark)
- ✓ Health tested as per Committee for Health-related Evaluation of Building Products (AgBB)
- ✓ Slip protection (anti-skid class dependent on surface selected)



DISTRIBUTED BY OUR FLOORING SALES EXPERTS

Germany

Pavimenti GmbH
Hummelsbütteler Steindamm 78a
22851 Norderstedt
Germany

T: +49 (0)40 32 59 92 90
info@pavimenti.eu

Austria

ArsRatio GmbH
Perlmooserstrasse 2
6322 Kirchbichl
Austria

T: +43 (0)5332 81861
office@arsratio.at

Switzerland & Liechtenstein

Pazeller GmbH
Wilenhofstrasse 8
8722 Kaltbrunn
Switzerland

T: +41 (0)55 462 21 47
info@pazeller-gmbh.ch

Netherlands & Belgium

Royal Campen
Eckertstraat 5
8260 AB Kampen
Netherlands

T: +31 (0)38 333 70 99
info@royalcampen.nl

Denmark, Norway, Sweden

Pavimenti ApS
Ny Vestergade 13
5000 Odense C
Denmark

T: +45 65 95 86 85
M: +45 40 16 71 17
lyngdal@pavimenti.eu

Poland

ArsRatio Poland Sp. z o.o.
Zachodnia 65
87-800 Włocławek
Poland

T: +48 (0)603 62 00 39
dariusz.reksulak@arsratio.pl

Slovenia

MTI Pavlic d.o.o.
Kocevarjeva ulica 2
8000 Novo mesto
Slovenia

T: +386 73 37 15 72
miha.pavlic@mti-pavlic.si

Czech Republic & Slovakia

ARS System s.r.o.
Louka 140
696 76 Louka
Czech Republic

T: +420 777 192 314
r.mikeska@arssystem.cz





ArsRatio GmbH

Perlmooserstrasse 2

6322 Kirchbichl/Austria

T: +43 (0)5332 81861

F: +43 (0)5332 81861 20

office@arsratio.at

www.arsratio.at